



**TRENCH REPAIR AND
INTERMITTENT UTILITY CUTS**

THIS DETAIL IS APPLICABLE TO THE REPAIR OF TRENCHES AND INTERMITTENT UTILITY CUTS IN EXISTING PAVEMENT HAVING A FLEXIBLE SURFACE AND A RIGID BASE.

SEE STANDARD BC 576.20-2 FOR CONSTRUCTION NOTES AND OTHER REQUIREMENTS.

NOTES:

1. EQUIPMENT AND MATERIALS OF ANY KIND CANNOT BE STORED IN PUBLIC RIGHT OF WAY FOR FUTURE USE UNLESS A PERMIT IS OBTAINED AND APPROVED BY THE DIRECTOR OF TRANSPORTATION OR DESIGNEE.
2. EACH PIECE OF EQUIPMENT AND MATERIALS ARE SEPARATE AND FINEABLE.
3. PLACEMENT OF FINISH SURFACE AND BASE COURSE MUST BE COMPLETED WITHIN 7 DAYS AFTER COMPLETION OF BACKFILL AND COMPACTION TESTING.



APPROVED:

Bimal Dora

DIVISION CHIEF, TRANSPORTATION ENGINEERING AND CONSTRUCTION

Husein Raiz

DIRECTOR, DEPARTMENT OF TRANSPORTATION

**CITY OF BALTIMORE
DEPARTMENT OF TRANSPORTATION
TRANSPORTATION ENGINEERING AND
CONSTRUCTION**

**STREET CUT AND REPAIR
FLEXIBLE SURFACE
RIGID BASE**

ISSUED	REVISED	REVISED
8 / 2010	08/2024	

**STANDARD NO.
BC 576.20-1**

SCALE : NONE

SHEET 1 OF 2